



APRIL '23 RANGE REFRESH

## PRODUCT RANGE

Pick any design in up to 3 fitting formats



Palio by Designflooring offers you a collection of contemporary designs, available in three fitting formats: rigid core, loose lay and gluedown making it possible to have the same colour throughout your space.


## WHAT IS PALIO BY DESIGNFLOORING?

Palio by Designflooring offers you the flexibility to choose a colour no matter what format is required. Whether you need to limit noise transfer between floors, or gain underfloor access after installation, Palio by Designflooring has a flooring solution for you.

The multiformat option makes it possible to have the same colour of flooring throughout a building to cater for your requirements.



CLICK




LAY



STICK

# NEW FOR APRIL 2023



SALINA **PVP161-SCB** | **LLP161** | **PVP161**



BRIDGEPORT **PVP157-SCB** | **LLP157** | **PVP157**



WATERBURY **PVP152-SCB** | **LLP152** | **PVP152**



BROCKTON **PVP153-SCB** | **LLP153** | **PVP153**



HAMDEN **PVP156-SCB** | **LLP156** | **PVP156**



 **PALIO**  
by Designflooring



WATERBURY PVP152-SCB | LLP152 | PVP152









 **PALIO**  
by Designflooring



SALINA PVP161-SCB | LLP161 | PVP161









# COLLECTION APRIL 2023



**SALINA** [PVP161-SCB](#) | [LLP161](#) | [PVP161](#)



**PALMARIA** [PVP149-SCB](#) | [LLP149](#) | [PVP149](#) | [PVP5149](#)



**WATERBURY** [PVP152-SCB](#) | [LLP152](#) | [PVP152](#)



**LAMPIONE** [PVP147-SCB](#) | [LLP147](#) | [PVP147](#) | [PVP5147](#)



**BRIDGEPORT** [PVP157-SCB](#) | [LLP157](#) | [PVP157](#)



**HAMDEN** [PVP156-SCB](#) | [LLP156](#) | [PVP156](#)



**BUDELLI** [PVP146-SCB](#) | [LLP146](#) | [PVP146](#) | [PVP5146](#)



**BROCKTON** [PVP153-SCB](#) | [LLP153](#) | [PVP153](#)



**SICILIA** [PVP142-SCB](#) | [LLP142](#) | [PVP142](#) | [PVP5142](#)



**LINOSA** [PVP148-SCB](#) | [LLP148](#) | [PVP148](#) | [PVP5148](#)



**TORCELLO** [PVP145-SCB](#) | [LLP145](#) | [PVP145](#) | [PVP5145](#)



**TAVOLARA** [PVP144-SCB](#) | [LLP144](#) | [PVP144](#) | [PVP5144](#)



**LEVANZO** [PVP150-SCB](#) | [LLP150](#) | [PVP150](#) | [PVP5150](#)



**SARDINIA** [PVP143-SCB](#) | [LLP143](#) | [PVP143](#) | [PVP5143](#)

















 **PALIO**  
by Designflooring









 **PALIO**  
by Designflooring




LEVANZO PVP150-SCB | LLP150 | PVP150 | PVP5150





# STONE

Palio  
LooseLay




TINO

LLT208




CAPRI

LLT209



NISIDA

LLT210




VULCANO

LLT211











Palio Rigid offers a rigid core LVT construction which provides more robustness on uneven subfloors and is our most acoustically friendly Palio product. Planks are joined by a click-locking mechanism.



Patented click-locking mechanism



Quick and easy to install



No underlay required



No need for adhesive



Reduces impact noise transfer by 19dB



Installs over most existing hard floors








Thickness	4,5mm
Wear Layer	0,3mm
Box Quantity (Pieces)	10 planks
Box Quantity (m2)	2.438
Boxes per pallet	70
Acoustic	19dB

## PALIO RIGID LAYER DIAGRAM





## PALIO LOOSELAY BENEFITS

Palio LooseLay has a friction grip backing that is designed to secure the product in place together with a tackifier. If a plank or tile gets damaged, you can easily replace it without taking the whole floor up.



Friction grip backing



Quick and easy to install




No expansion gap



Reduces impact noise transfer by 13dB




Individually replaceable



# PALIO LOOSELAY – TECHNICAL DETAILS




Thickness	4,5mm
Wear Layer	0,55mm
Box Quantity (Pieces)	12 planks
Box Quantity (m2)	3,15
Boxes per pallet	48
Acoustic	13dB



Thickness	4,5mm
Wear Layer	0,55mm
Box Quantity (Pieces)	12 tiles
Box Quantity (m2)	3,05
Boxes per pallet	52
Acoustic	13dB



# PALIO LOOSELAY LAYER DIAGRAM



## PALIO GLUEDOWN BENEFITS

Palio  
Gluedown

PLUS  
Palio  
Gluedown

Palio Gluedown and Palio Gluedown Plus are stuck to the subfloor using an adhesive. Suitable for both residential and commercial applications, design strips can be added for personalisation.



Personalise with design strips



No expansion gap



The installation will be conducted by a specialist floor fitter





# PALIO GLUEDOWN – TECHNICAL DETAILS





## Palio Gluedown Plus

Thickness	2,5mm
Wear Layer	0,55mm
Box Quantity (Pieces)	18 planks
Box Quantity (m2)	3.90
Boxes per pallet	60

## Palio Gluedown

Thickness	2,0mm
Wear Layer	0,3mm
Box Quantity (Pieces)	22 planks
Box Quantity (m2)	4.77
Boxes per pallet	60

# PALIO GLUEDOWN LAYER DIAGRAM







MARKETING

**PALIO**  
by Designflooring

YOUR FLOOR YOUR WAY  
YOUR FLOOR YOUR WAY  
YOUR FLOOR YOUR WAY  
YOUR FLOOR YOUR WAY

**PALIO Rigid**

**PALIO LooseLay**

**PALIO Glue down**

**PLUS**

**PALIO Glue down**

**WATERPROOF**  
**LOW MAINTENANCE**  
**DURABLE**  
**20 YEAR GUARANTEE**

### WOOD AT A GLANCE

ALVARO	ALVARO	ALVARO	ALVARO
LEWIS	LEWIS	LEWIS	LEWIS
SCIA	SCIA	SCIA	SCIA
RODINA	RODINA	RODINA	RODINA
LIBRA	LIBRA	LIBRA	LIBRA

### STONE AT A GLANCE

TRO	TRO	TRO
MOA	MOA	MOA

### WHICH FORMAT? | WHICH FORMAT?

Choosing a floor format that is right for you may depend on the subfloor you're laying your Palio floor onto. Our guide will help you identify the preferred outdoor finish for each product format.

If you are choosing a floor based on a requirement, see our table opposite.

Choosing a floor format that is right for you may depend on the subfloor you're laying your Palio floor onto. Our guide will help you identify the preferred outdoor finish for each product format.

If you are choosing a floor based on a requirement, see our table opposite.

Choosing a floor format that is right for you may depend on the subfloor you're laying your Palio floor onto. Our guide will help you identify the preferred outdoor finish for each product format.

If you are choosing a floor based on a requirement, see our table opposite.

Subfloor requirements	Palio Rigid	Palio LooseLay	Palio Glue down	Palio Glue down PLUS
Subfloor requirements	Y	Y	Y	Y
Subfloor requirements	X	X	X	X
Subfloor requirements	X	Y	Y	Y



### REQUIREMENTS

Requirement	Palio Rigid	Palio LooseLay	Palio Glue down	Palio Glue down PLUS
Typical installation: Spaced subfloor	✓	✓	✓	✓
Atypical installation: Spaced subfloor	✓	✓	✓	✓
Typical installation: Solid subfloor	✓	✓	✓	✓
Atypical installation: Solid subfloor	✓	✓	✓	✓
Subfloor must be level	✓	✓	✓	✓
Subfloor must be clean	✓	✓	✓	✓
Subfloor must be dry	✓	✓	✓	✓
Subfloor must be flat	✓	✓	✓	✓
Subfloor must be smooth	✓	✓	✓	✓
Subfloor must be strong	✓	✓	✓	✓
Subfloor must be fire resistant	✓	✓	✓	✓
Subfloor must be sound resistant	✓	✓	✓	✓
Subfloor must be impact resistant	✓	✓	✓	✓
Subfloor must be slip resistant	✓	✓	✓	✓
Subfloor must be UV resistant	✓	✓	✓	✓
Subfloor must be mold resistant	✓	✓	✓	✓
Subfloor must be insect resistant	✓	✓	✓	✓
Subfloor must be radon resistant	✓	✓	✓	✓
Subfloor must be asbestos resistant	✓	✓	✓	✓
Subfloor must be lead resistant	✓	✓	✓	✓
Subfloor must be mercury resistant	✓	✓	✓	✓
Subfloor must be chromium resistant	✓	✓	✓	✓
Subfloor must be nickel resistant	✓	✓	✓	✓
Subfloor must be cadmium resistant	✓	✓	✓	✓
Subfloor must be copper resistant	✓	✓	✓	✓
Subfloor must be zinc resistant	✓	✓	✓	✓
Subfloor must be manganese resistant	✓	✓	✓	✓
Subfloor must be iron resistant	✓	✓	✓	✓
Subfloor must be aluminum resistant	✓	✓	✓	✓
Subfloor must be silicon resistant	✓	✓	✓	✓
Subfloor must be phosphorus resistant	✓	✓	✓	✓
Subfloor must be sulfur resistant	✓	✓	✓	✓
Subfloor must be chlorine resistant	✓	✓	✓	✓
Subfloor must be bromine resistant	✓	✓	✓	✓
Subfloor must be iodine resistant	✓	✓	✓	✓
Subfloor must be oxygen resistant	✓	✓	✓	✓
Subfloor must be hydrogen resistant	✓	✓	✓	✓
Subfloor must be carbon resistant	✓	✓	✓	✓
Subfloor must be nitrogen resistant	✓	✓	✓	✓
Subfloor must be fluorine resistant	✓	✓	✓	✓
Subfloor must be helium resistant	✓	✓	✓	✓
Subfloor must be neon resistant	✓	✓	✓	✓
Subfloor must be argon resistant	✓	✓	✓	✓
Subfloor must be krypton resistant	✓	✓	✓	✓
Subfloor must be xenon resistant	✓	✓	✓	✓
Subfloor must be radon resistant	✓	✓	✓	✓



Available:  
04/23

**RANGE OVERVIEW | SORTIMENTS-OVERZICHT | LA GAMME | OVERZICHT GAMMA**

**Palio Right** | Choose Palio Right when... | Wählen Sie Palio Right wenn... | Choisir pour Palio Right si... | Kiri Palio Right indones.

**YOU NEED A QUICK, SIMPLE INSTALLATION WITH MINIMAL DOWN TIME | SE BENTUHKAN SINGKEL, CEPAT DAN SINGKEL SAMA SAMA. | VOUS AVEZ BESOIN D'UNE POSE RAPIDE ET FACILE, AVEC UN TEMPS D'ARRÊT MINIMAL. | U NEM SHKLE, ENVOJENICE, INSTALACIJE S MET MINIMALU. | UTVARUJE N OČIG KJEFT**

**YOU ARE WORKING IN A HOUSE WITH PRESERVATION REQUIREMENTS | SE BENTUHKAN IN BANGUNAN DENGAN KEAWABAHAN YANG PERLU DIPERHATIKAN. | VOUS AVEZ BESOIN D'UNE SOLUTION ACCROISSANT DE PRÉSERVATION (U WORT IN EIN HAUS MIT GESCHUTZTE INTERIEURERBEHALTENUNG)**

**YOU NEED SUPERIOR ACoustics BETWEEN FLOORS SUCH AS MULTI-LEVEL LIVING | SE BENTUHKAN SINGKEL BERKUALITAS ANTARA LANTAI, SEPERTI ANTARA LANTAI YANG BERBEDA-BEDANYA. | VOUS AVEZ BESOIN D'UNE SOLUTION ACCROISSANT DE PRÉSERVATION (U WORT IN EIN SUPERIEUR ACoustic IN OČIG KJEFT TUSSEN DE VERDERENGEN)**

**Palio Locklay** | Choose Palio Locklay when... | Wählen Sie Palio Locklay wenn... | Choisir pour Palio Locklay si... | Kiri Palio Locklay indones.

**YOU NEED A QUICK, SIMPLE INSTALLATION WITH MINIMAL DOWN TIME | SE BENTUHKAN SINGKEL SAMA SAMA. | VOUS AVEZ BESOIN D'UNE POSE RAPIDE ET FACILE, AVEC UN TEMPS D'ARRÊT MINIMAL. | U NEM SHKLE, ENVOJENICE, INSTALACIJE S MET MINIMALU. | UTVARUJE N OČIG KJEFT**

**YOU NEED ACCESS TO UNDER FLOOR UTILITIES POST INSTALLATION | SE BENTUHKAN NACH DER VERLEGGUNG ZUGANG ZU VERBODEN INDIKATOR UNTER DEM BODEN. | VOUS AVEZ BESOIN D'ACCÈS AU PLANCHER TECHNIQUE APRÈS LA POSE. | U TOEGANG TOT VOEDEN NIGER OČIG DE VLOER N OČIG KJEFT NACH DE VERLEGGING.**

**YOU NEED SUPERIOR ACoustics BETWEEN FLOORS SUCH AS MULTI-LEVEL LIVING | SE BENTUHKAN SINGKEL BERKUALITAS ANTARA LANTAI, SEPERTI ANTARA LANTAI YANG BERBEDA-BEDANYA. | VOUS AVEZ BESOIN D'UNE SOLUTION ACCROISSANT DE PRÉSERVATION (U WORT IN EIN SUPERIEUR ACoustic IN OČIG KJEFT TUSSEN DE VERDERENGEN)**

**Palio Glanstone** | Choose Palio Glanstone when... | Wählen Sie Palio Glanstone wenn... | Choisir pour Palio Glanstone si... | Kiri Palio Glanstone indones.

**THE INSTALLATION WILL BE CONDUCTED BY A SPECIALIST FLOOR TILER | DE VERLEGGING WIL NIEM FACHMANN VOOR BODEN VERLEGGER DOORGEVOERT WERD. | LA POSE SERA RÉALISÉ PAR UN PROFFESIONNEL DE LA NOUVEAU. | U NEM SHKLE, ENVOJENICE, INSTALACIJE S MET MINIMALU. | UTVARUJE N OČIG KJEFT**

**YOU WANT TO CREATE A COMPLETELY BESPOKE, UNIQUE FLOOR | SE BENTUHKAN SINGKEL BERKUALITAS ANTARA LANTAI, SEPERTI ANTARA LANTAI YANG BERBEDA-BEDANYA. | VOUS AVEZ BESOIN D'UNE SOLUTION ACCROISSANT DE PRÉSERVATION (U WORT IN EIN SUPERIEUR ACoustic IN OČIG KJEFT TUSSEN DE VERDERENGEN)**

**PALIO by Designflooring**

**Technical specification**

Model	Color	Finish	Installation	Thickness	Length	Width	Weight
Palio Right	Light Grey	Matte	Click	12mm	1200mm	207mm	20.5kg
Palio Locklay	Light Grey	Matte	Click	12mm	1200mm	207mm	20.5kg
Palio Glanstone	Light Grey	Matte	Click	12mm	1200mm	207mm	20.5kg

**207mm**

**PALIO by Designflooring**

**YOUR FLOOR, YOUR WAY  
DEIN BODEN, DEIN WEG  
VOTRE SOL, SELON VOS  
CONTRAIINTES  
UW VLOER,  
OP UW MANIER**

**STICK | KLEBEN  
A COLLER | VERLIJMEN**

**CLICK | KLIKEN  
A CLIQUER | KLIK  
210mm**

**LAY | LEGEN  
A POSSEY | LOS LEGGEN**

**STONE 300mm x 600mm**

**WATERURY 210mm x 1200mm**

**TRAVEL 210mm x 1200mm**

**BRICK 210mm x 1200mm**

**BRIDGEPORT 210mm x 1200mm**

**LAMPION 210mm x 1200mm**

**BRICKTON 210mm x 1200mm**

**HANDEN 210mm x 1200mm**

**TORRE RUIO 210mm x 1200mm**

**SABOBA 210mm x 1200mm**

**TRAVELARA 210mm x 1200mm**

**LIQUANO 210mm x 1200mm**

**SICIA 210mm x 1200mm**

**LINDA 210mm x 1200mm**

**TINO 210mm x 1200mm**

**NEIDA 210mm x 1200mm**

**CARO 210mm x 1200mm**

**VULCANO 210mm x 1200mm**

# PALIO SWATCH BOOKS



DFIPMFPSWB3



DFIPLLTSWB3







# POS

Update available:  
04/23

Palio by Designflooring compact POS includes:

- Palio by Designflooring A4 Brochure
- 9 x Double sided boards (3 board update, remove Vivara)
- Dimensions: H:1433 W:520 D:680

Board labels shows spec of each format

PALIO by Designflooring	
<b>SICILIA</b>	
 <b>PVP142-SCB</b> 1211,2mm x 169,8mm	4,5mm 0,2mm Click-locking By 19dB
 <b>LLP142</b> 1050,0mm x 250,0mm	4,5mm 0,55mm Loose lay By 13dB
 <b>PVP142</b> 1219,2mm x 177,8mm	2,0mm 0,3mm Glue down
 <b>PVP5142</b> 1219,2mm x 177,8mm	2,5mm 0,55mm Glue down

